

**DETAIL K2 PRESENTS**

**DIA**

**POWER**

*Powered by* **KOHLER**® Engines



**ATV TOWABLE  
 3" CHIPPER  
 SHREDDER**



**Item Number: OPC503**  
**UPC: 826518005487**

**DESCRIPTION**

ATV towable 3 inch 4000RPM Direct Drive combo chipper shredder. The dual blade, centrifugal force deteriorates trees, branches, leaves, and garden composting.

Additional premium features include extra large feed chutes, drop stand and handy removable tow bar, locking wheels, removable key shutoff, 4 Stage CYCLONIC Filter System, a 7HP KOHLER CH270 Command PRO Engine and a 3YR Commercial warranty .

**SPECIFICATION**

Engine Model	KOHLER CH270
Engine	Command PRO Commercial
Rated Power[Kw(HP)]	7HP
Rated Speed(RPM)	4000
Tires	ATV Locking
Wheelbase	28"
Tree Diameter	3"
Cutting Blades	Dual Carbide
Chipper Shredder	Leaves Brush Garden Compost
Gearbox	Direct Drive
Expulsion Chute	Adjustable
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	63 x 32 x 43"
Weight	170 lb
Shipping Crate Dims	33 x 29 x 44" 198 lb
Container Qty	84




**ATV Tires-locking - Off Road only**



**1-7/8" Removable Tow Bar**



**Large Feed Chute**



**Lock Out Safety Keys**



**4" CYCLONIC  
 DIRECT DRIVE  
 CHIPPER  
 SHREDDER**

**Item Number: OPC504**  
**UPC: 826518005494**



**CYCLONIC CUTTERS**



**DESCRIPTION**

3600 RPM CYCLONIC Chippers. Direct Drive, Dual Swing Chutes for quick drum access.

4 inch chipping capacity, reversible dual edge high speed cutting blades. Auto Adjusting CYCLONIC drum chamber deteriorates trees and brush up to 6.25 inches in diameter all from one feed chute. Large quick open hoppers, 59" truck bed height chip chute with adjustable cast iron rotating hood, easy drop stand, removable tow bar, 2 inch hitch.

Premium built-in tool box, Key shutoff with lock out safety switch. Extended 48 inch safety stability axle with DOT tires. Safety kit includes, tools, glasses, ear protection and gloves. Integrated chute handles, powder coated for durability.

**SPECIFICATION**

Engine Model	KOHLER CH395
Engine	Command PRO Commercial
Rated Power[Kw(HP)]	9.5 HP
Rated Speed(RPM)	3600
Tires	D.O.T. Rated - Max. 25 MPH
Wheelbase	47"
Tree Diameter	4.25"
Cutting Blades	Dual Reversible Double Edge Swords
Chipper Shredder	Auto Adjusting 4" To 1/8" Materials
Gearbox	Dual Direct Drive
Expulsion Chute	Adjustable 180° 59" Pickup Bed Height
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	102 x 47 x 59"
Weight	375 lb
Shipping Crate Dims	44 x 25 x 44" - 452 lb
Container Qty	72



**MAXIMUM 25MPH D.O.T. Tires**



**2 inch removable tow bar - D.O.T. Road Legal**



**Extended Axle / Dual Swing Chutes / Tool Box**



**Lock Out Safety Keys**



**5" ATV  
TOWABLE  
CHIPPER  
SHREDDER**



**Item Number: OPC505**  
**UPC: 826518005500**

**DESCRIPTION**

5" 14 HP Kohler Commercial 2400rpm Chipper, Dual 12 inch cutting blades auto adjust to pulverize brush up to 5" diameter trees, blades are double-edge cut reversible.

Feed Chute swings open for easy drum access. ATV tires 36" extended axle for unlevel ground and towing stability. Feed Chute dual handles for easy equipment moving. Quick drop stand and 1-7/8 in ball removable tow bar. Schedule 80 tool free chip chute pipe rotates 180 degrees and is pickup truck height for chip bed loading. Commercial Command Pro 3 year Kohler warranty.

Includes safety glasses, ear protection, work gloves, oil bottle and assembly tools.

**SPECIFICATION**

Engine Model	KOHLER CH440
Engine	Command PRO Commercial 14
Rated Power[Kw(HP)]	HP
Rated Speed(RPM)	3600
Tires	ATV
Tree Diameter	5"
Cutting Blades	Dual Reversible
Expulsion Chute	Cast
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	70 x 36 x 45"
Weight	418 lb
Shipping Crate Dims	35 x 30 x 48" - 451 lb
Container Qty	78



**ATV Locking Tires**



**1-7/8 inch removable tow bar.**



**Quick Drop Stand.**



**KOHLER 14 HP CH440 Engine**  
**- 3 Year Warranty**



**5" AUTO FEED  
 CHIPPER  
 SHREDDER**

**Item Number: OPC505A**  
**UPC: 826518005739**



**DESCRIPTION**

5" chipper self contained auto feed system with hydraulic roller speeds up to 600 rpm.

Self adjusting feed chamber, large feed chute, adjustable chip chute. ATV tires with included tow bar. Advanced centrifugal clutch.

DK2 POWER manufactures performance equipment, driven by KOHLER, CH440 14 HP 3 yr commercial warranty.



**ATV Locking Tires**



**1-7/8 inch removable tow bar.**



**Adjustable feed speed controls.**



**KOHLER 14 HP CH440 Engine - 3 Year Warranty**

**SPECIFICATION**

Engine Model	KOHLER CH440
Engine	14 Command PRO Commercial
Rated Power[Kw(HP)]	14 HP
Rated Speed(RPM)	3600
Tires	ATV
Tree Diameter	5"
Cutting Blades	Auto Feed
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	91 x 40 x 61"
Weight	638 lb
Shipping Crate Dims	63 x 35 x 49" - 727 lb
Container Qty	28



**6" CYCLONIC  
 DIRECT DRIVE  
 CHIPPER  
 SHREDDER**



**CYCLONIC CUTTERS**



**DESCRIPTION**

3600 RPM CYCLONIC Chippers. Direct Drive, Dual Swing Chutes for quick drum access.

6 inch chipping capacity, reversible dual edge high speed cutting blades. Auto Adjusting CYCLONIC drum chamber deteriorates trees and brush up to 6.25 inches in diameter all from one feed chute. Large quick open hoppers, 59" truck bed height chip chute with adjustable cast iron rotating hood, easy drop stand, removable tow bar, 2 inch hitch.

Premium built-in tool box, Key shutoff with lock out safety switch. Extended 48 inch safety stability axle with D.O.T tires. Safety kit includes, tools, glasses, ear protection and gloves. Integrated chute handles, powder coated for durability.

**SPECIFICATION**

Engine Model	KOHLER CH440
Engine	Command PRO Commercial
Rated Power[Kw(HP)]	14 HP
Rated Speed(RPM)	3600
Tires	D.O.T. RATED - 25 MPH
Wheelbase	47"
Tree Diameter	6.25"
Cutting Blades	Dual Reversible Double Edge Swords
Chipper Shredder	Auto Adjusting 6" To 1/8" Materials
Gearbox	Dual Direct Drive
Expulsion Chute	Adjustable 180° 59" Pickup Bed Height
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	102 x 47 x 59"
Weight	375 lb
Shipping Crate Dims	44 x 25 x 44" - 452 lb
Container Qty	72

**Item Number: OPC506  
 UPC: 826518005517**



**MAXIMUM 25MPH - D.O.T. Tires**



**2 inch removable tow bar - D.O.T. Road Legal**



**Extended Axle / Dual Swing Chutes / Tool Box**



**Lock Out Safety Keys**



**16HP DIESEL  
 TRACTOR  
 CRATED**

**Item Number: OPF316C**  
**UPC: 826518005647**

**DESCRIPTION**

This unit sports plenty of torque at 3900 force (N). The quick response 540 rpm to 1000 rpm PTO drives 4 and 5 foot CAT1 implements with ease. Turf tires make this a versatile tractor for lawn, garden, and field work.

It has a Single-function clutch, (3+1)×2 gearbox delivers triple speed to P.T.O. Power steering for easy handling, Safe start switch, Enclosed metal hood, Dual head lamps, Combination meter, Absorber comfort seat with safety belt, Disc brakes, Roll over bar, Sun Canopy, Turf tires, Front weights, rear wheel weights and Top Link for 3pt implements all included. Dual hydraulic rear ports to drive log splitters and lift trailers. EPA approved Kohler Diesel engine delivers quality performance. National service provided by Kohler service centers.

A REMARKABLE tractor that delivers both Kohler PERFORMANCE and DK2 Power VALUE. Ships factory assembled direct to your home, wheels and sun canopy easy assembly required.

**SPECIFICATION**

Engine Model	KOHLER DIESEL KDW1003
Engine	ED2A36E0-1
Rated Power[Kw(HP)]	11.8/16
Rated Speed(RPM)	2400
Tires	Front :5.00-12 Rear :7.50-16
Wheelbase	52.3"
Front-wheel Tread	31.1"
Rear-wheel Tread	35"
Rated Traction Force(N)	3500
PTO Speed(RPM)	540/1000 Double Speed
Speed m/h	0.82 - 8.65
Gearbox Few Stalls	(3+1)×2
Ground Clearance	10.2"
Assembled Dimensions	96 x 42 x 84"
Min. Use Weight	1622 lb
Shipping Crate Dims	87 x 47 x 43" & 59 x 43 x 30" 1477 lb & 595 lb



**All Metal Hood Construction**



**Turf Tires**



**Power Steering**





**12" COMMERCIAL  
 GRADE STUMP  
 GRINDER**

**Item Number: OPG777**  
**UPC: 826518005524**

**DESCRIPTION**

Powered by 14HP KOHLER® Command PRO commercial engine. Mounted on a Heavy Duty welded 2x2 Steel, solid frame structurally engineered for endurance performance. Extreme duty 2x2 axle with dual locking hitch pins for trouble free wheel brakes and transport over rough terrain. Direct Power Drive delivers 3600RPM and 22.7 Gross Torque FT lb to a 12 inch solid steel cutting wheel mounted on premium pillar bearings.

Demolishes stumps with 9 Carbide teeth cutting 3 ½ inches wide per cut. Cuts any diameter stump 12" high and 9 in below ground. Designed and manufactured for Strength, Durability and Performance. Features Key shut-off, locking throttle, drop stand, solid bar lift handles.

Free towbar and free extra set of 9 carbide teeth.



**ATV Tires DUAL Locking - Off Road only**



**9 Carbide Cutting Head - Direct Drive**



**Adjustable Bow Handle With Heavy Duty Frame Mounting**



**Free Extra Set Of 9 Carbide Teeth**

**SPECIFICATION**

Engine Model	KOHLER CH440
Engine	Command PRO Commercial
Rated Power[Kw(HP)]	14 HP
Rated Speed(RPM)	3600
Tires	ATV Locking Heavy Duty Axles
Wheelbase	32"
Stump Dia/Height Max	Any Diameter 12 Inches High
Cutting Blades	9 Dual Carbide Cast Mounted Cutters
Cutting Width	3-½" Cutting Path Width
Gearbox	Direct Drive Dual Belts
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	91 x 32 x 52"
Weight	234 lb
Shipping Crate Dims	42 x 23 x 25" - 275lb
Container Qty	158





**40 TON KINETIC  
 1 SEC LOG  
 SPLITTER**



**Item Number: OPS240**  
**UPC: 826518005746**

**DESCRIPTION**

40 Ton Kinetic Ultimate speed 1 sec Commercial Grade Log Splitter.

KOHLER Command PRO 4000 RPM CH240 3YR warranty engine. Oversized reinforced steel work table, safety lockout, Clam shell quick access body. Extended stability axle with ATV tires. 2 IN ball hitch, 22 inch long logs.

This machine gets it done, quality manufactured for top performance. Auto retraction bearing guided ram. This powerful splitter performs during 40 ton force cycles.

Split safety, ear protection, safety glasses, work gloves, tools and oil bottle included.




**8" Expansive solid steel wedge**



**Oversize steel work table**



**ATV Tires**



**2 inch ball hitch**

**SPECIFICATION**

Engine Model	KOHLER CH240
Rated Power[Kw(HP)]	7HP
Rated Speed(RPM)	4000
Tires	ATV Tires
Max Log Length	22"
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	120 x 37 x 44"
Weight	573 lb
Shipping Crate Dims	71 x 27 x 23" - 607 lb
Container Qty	68
Tow Bar	2" Ball
Log Rails	Slide Reload
Wedge	8" Expansive
Cycle Time	1 Second
Ram Speed	½ Second Deployment



**DK2 POWER**  
**KOHLER** Engines



## 18" COMMERCIAL TRENCHER

**Item Number: OPT118**  
**UPC: 826518005586**

### DESCRIPTION

Direct Chain Drive Trencher. High pressure sintered carbide teeth. 5 depth positions, dual locking wheels for digging in reverse. 3/8 plow plates with quick change teeth. Adjustable handle, Keyed safety lock out, 6 inch direct drive auger. Heavy gauge steel construction.

4000 RPM direct drive, 400 RPM tri-cut teeth chain drive. 200FT per hour dig rate.



**Tri-Cut High Carbide Teeth**



**Trolley Wheel**



**Lock out safety keys - Locking Throttle**



**Auger guard**

### SPECIFICATION

Engine Model	KOHLER CH270
Engine	CH270 7HP Command PRO Commercial
Rated Power[Kw(HP)]	7HP 208CC 10.5 FT lb torque @ 4000RPM
Rated Speed(RPM)	4000
Chain Speed	1800 FT Per Minute
Chain Dimension	63"
Trench	4 x 18
Cutting Teeth	21 Carbide Alloy High Pressure Teeth. 400 RPM
Wheels	Dual Auto Lock In Reverse Dig
Gearbox	Dual Belt Chain Drive Auger
Auger	Side Offload Direct Drive
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	71 x 36 x 48"
Weight	320 lb
Shipping Crate Dims	41 x 30 x 34" 374 lb
Container Qty	99



[WWW.DK2POWER.COM](http://WWW.DK2POWER.COM)



**DK2 POWER**  
**KOHLER. Engines**



## 24" COMMERCIAL TRENCHER

**Item Number: OPT124**  
**UPC: 826518005463**

### DESCRIPTION

Direct Chain Drive Trencher. High pressure sintered carbide teeth. 5 depth positions, dual locking wheels for digging in reverse. 3/8 plow plates with quick change teeth. Adjustable handle, Keyed safety lock out, 6 inch direct drive auger. Heavy gauge steel construction.

3600 RPM direct drive, 400 RPM tri-cut teeth chain drive. 200FT per hour dig rate.

### SPECIFICATION


Engine Model	KOHLER CH440
Engine	CH440 14HP Command PRO Commercial
Rated Power[Kw(HP)]	14HP 429CC 22.7 FT lb torque @ 3600RPM
Rated Speed(RPM)	3600
Chain Speed	1800 FT Per Minute
Chain Dimension	79"
Trench	4 x 24
Cutting Teeth	27 Carbide Alloy High Pressure Teeth. 400 RPM
Wheels	Dual Auto Lock In Reverse Dig
Gearbox	Dual Belt Chain Drive Auger
Auger	Side Offload Direct Drive
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	85 x 36 x 48"
Weight	375 lb
Shipping Crate Dims	44 x 31 x 38" 474 lb
Container Qty	60



**Tri-Cut High Carbide Teeth**



**Trolley Wheel**



**Lock out safety keys - Locking Throttle**



**Auger guard**



**1100LB  
 DUMP CART**



**Item Number: OPT811**  
**UPC: 826518005722**

**DESCRIPTION**

All terrain BIG DUMP moves 1100 LBS with self drive electric power. Run your Big Dump 6 to hours on one charge.

Hydraulic electric lift cylinder tip bucket to 90 degrees vertical to clean your load. Throttle bar speed control with articulated floating rear wheels keep your load level and steady.

At 6 MPH quickly move about your job site. Dual front wheel drive climbs over rough terrain with ease.

**SPECIFICATION**

Max Capacity	1100 lb
Max Speed	6 mph
Charge Time	5 hours
Run Time	6 hours
Wheels	All terrain
Warranty	1YR Chassis
Assembled Dimensions	85 x 46 x 42"
Weight	320 lb
Shipping Crate Dims	54 x 32 x 35" 508 lb
Container Qty	69



**1000lb Max Capacity**



**All terrain tires**



**Max speed 6 mph**



**Vertical dump 90 degrees**



**OWN THE YARD!**