



Big versatility in smaller packages.

The new IQ<sup>V12</sup> Series<sup>™</sup> of 12-volt tools from Ingersoll Rand offers versatile performance, cordless convenience, and rugged durability in exceptionally compact packages with class-leading ergonomics—key benefits in the automotive services and MRO markets. Lighter tool weight and smaller tool sizes combine with ergonomic design to make accessing difficult areas easier, minimize operator fatigue, and Do the Job, Do it Fast, Do it Every Time.

## **Accessibility**

The compact, cordless design of every  $IQ^{V12}$  Series tool makes accessing tight spaces easier.

## **Comfort**

**Lightweight design and small handles** help minimize fatigue, making tools more ergonomic and comfortable to hold.

## **Durability**

**Chemical- and impact-resistant housings** are designed to withstand tough environments and repeated drops while protecting interior components.

















# **IQ**<sup>V12</sup> *Series*<sup>™</sup> Impactools<sup>™</sup>

## W1110 1/4", W1120 1/4", W1130 3/8"

Tuned impact mechanism and all-metal drivetrain deliver 100 ft-lb of torque and durable performance

**Bright white LED** casts

light on the work piece

vibration for extended motor and switch life

Positive-lock battery

Patent-pending soft-

mount system reduces

with patent-pending dual side button design for easier and more secure battery installation



Impact- and chemicalresistant housing

protects against repeated 6-foot drops onto concrete and exposure to shop fluids

3-point rubber pads

protect tool and work surfaces

**Ergonomically designed small-handle grip** helps reduce operator fatigue during extended use

					No-Load		Sound Le	vel dBA	Tool & Battery		
Model	Battery	Voltage DC	Drive Type, Size	Impacts per Minute	Speed rpm	Speed Rec. Torque Range		† Pressure (L <sub>p</sub> )	‡ Power (L <sub>w</sub> )	Weight lb (kg)	Length in (mm)
IQ <sup>V12</sup> Seri	es™ Impact	ools™									
W1110	BL1203	12	Quick-Change, 1/4"	3,300	0-2,700	15-75 (20-100)	100 (135)	82	93	2.32 (1.05)	5.9 (150)
W1120	BL1203	12	1/4"	3,300	0-2,700	15-75 (20-100)	100 (135)	82	93	2.30 (1.03)	5.9 (150)
W1130	BL1203	12	3/8"	3,300	0-2,700	15-75 (20-100)	100 (135)	82	93	2.30 (1.04)	5.9 (150)



Model	Description
W1110-K2	1/4" Hex Quick Change 12V Impactool, Charger, 2 Li-ion Batteries & Tool Bag
W1120-K2	1/4" Square 12V Impactool, Charger, 2 Li-ion Batteries & Tool Bag
W1130-K2	3/8" Square 12V Impactool, Charger, 2 Li-ion Batteries & Tool Bag

# **IQ**<sup>V12</sup> *Series*<sup>™</sup> Ratchet Wrenches

R1120 1/4" and R1130 3/8"

## Compact, durable motor and all-metal drivetrain

deliver up to 30 ft-lb of torque and allow additional manual torquing capability



**Bright white LED** casts light on the work piece

Feather-touch variablespeed paddle trigger allows different grip techniques for easier access **Positive-lock battery** with patent-pending dual side button design for easier and more secure battery installation

				No-Load	Rec. Torque	Max. Torque	Sound Le	evel dBA	Tool &	Battery
Model	Battery	Voltage Speed Range			ft-lb (Nm)	† Pressure (L <sub>P</sub> )	‡ Power (L <sub>w</sub> )	Weight lb (kg)	Length in (mm)	
IQ <sup>V12</sup> Series	™ Ratchet Wren	ches								
R1120	BL1203	12	1/4"	0-260	5-25 (7-34)	30 (40)	76	87	2.15 (0.98)	11.03 (280)
R1130	BL1203	12	3/8"	0-260	5-25 (7-34)	30 (40)	76	87	2.15 (0.98)	11.03 (280)



Model	Description
R1120-K1	1/4" 12V Ratchet, Charger, 1 Li-ion Battery & Tool Bag
R1130-K1	3/8" 12V Ratchet, Charger, 1 Li-ion Battery & Tool Bag

# **IQ**<sup>V12</sup> *Series*<sup>™</sup> **Drill/Driver**

D1130 3/8"

15-position clutch maximizes fastening control

Impact- and chemical-resistant housing protects against repeated 6-foot drops onto concrete and exposure to shop fluids

7.48" from tip to

**Bright white LED** casts light on the work piece

Patent-pending softmount system reduces vibration for extended motor and switch life

**Positive-lock battery** with patent-pending dual side button design for easier and more secure battery installation



No-Load Speed rpm Sound Level dBA Tool & Battery										
Model	Battery	Voltage DC	Drive Type, Size	High	Low	Max. Torque in-lb (Nm)	† Pressure (L <sub>p</sub> )	‡ Power (L <sub>w</sub> )	Weight lb (kg)	Length in (mm)
IQ <sup>V12</sup> Series™	Drill/Driver									
D1130	BL1203	12	Chuck, 3/8"	0-1,600	0-400	205 (23)	64	75	2.43 (1.1)	7.48 (190)



Model	Description
D1130-K2	3/8" 12V Drill/Driver, Charger, 2 Li-ion Batteries & Tool Bag

# **IQ**<sup>V12</sup> *Series*<sup>™</sup> Screwdriver



				Sound Level dBA Tool & Battery						
Model	Battery	Voltage DC	Drive Type, Size	High	Low	Max. Torque in-lb (Nm)	† Pressure (L <sub>P</sub> )	‡ Power (L <sub>w</sub> )	Weight lb (kg)	Length in (mm)
IQ <sup>V12</sup> Series	s <sup>™</sup> Screwdriver									
D1410	BL1203	12	Quick Change Hex, 1/4"	0-1,600	0-400	205 (23)	64	75	2.09 (0.95)	5.12 (130)



Model	Description
D1410-K2	1/4" Quick Change Hex 12V Screwdriver, Charger, 2 Li-ion Batteries & Tool Bag

**IQ**<sup>V12</sup> *Series*<sup>™</sup> **LED** Task Light



Ultra-bright white LED casts 180 lumens and lasts up to 20.000 hours

Positive-lock

battery with patent-

pending dual side

button design for easier and more secure

battery installation


Model Battery

**L1110** BL1203

**Patent-pending** aluminum head dissipates heat and is lightweight, yet heavy- duty

Multi-position head and standing base for lighting from above and below

Impact- and chemical-resistant housing protects against repeated 6-foot drops onto concrete and exposure to shop fluids



#### **Extended runtime:** 6.5 hours with BL1203 battery

## One cordless battery platform

The IQ<sup>V12</sup> Series 12V lithium-ion battery platform powers all of the cordless tools you need. That means all of the IQ<sup>V12</sup> Series tools you own can share batteries and chargers, making it easier and faster to have a freshly charged battery ready to get the job done.

## **IQ**<sup>V12</sup> Series Battery **BL1203**

Performance — Each battery provides 2.0 Ah of 12-volt power, intelligently managed by the IQ<sup>V12</sup> Series system for maximum tool runtime.

**Durability** — Positive-lock system emits highly audible click when properly secured in tool, helping to eliminate drops and damage.

**Ergonomics** — Patent-pending dual side button design for easier battery installation.

## **IQ<sup>V12</sup> Series Charger BC1110**

Performance — Brings fully depleted battery to 100% charge in about an hour.

**Durability** — Engineered composite housing withstands wear, abrasions, drops, and can be securely screwmounted to a wall or toolbox.





Ingersoll Rand (NYSE:IR) advances the quality of life by creating and sustaining safe, comfortable and efficient environments. Our people and our family of brands—including Club Car®, Ingersoll Rand®, Schlage®, Thermo King® and Trane®—work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; secure homes and commercial properties; and increase industrial productivity and efficiency. Ingersoll Rand products range from complete compressed air systems, tools and pumps to material handling systems. The diverse and innovative products, services and solutions enhance our customers' energy efficiency, productivity and operations. We are a \$14 billion global business committed to a world of sustainable progress and enduring results. For more information, visit ingersollrandproducts.com.











(800) 866-5457 · www.ingersollrandproducts.com

Distributed by:

Ingersoll Rand, IR and the IR logo are trademarks of Ingersoll Rand, its subsidiaries and/or affiliates. All other trademarks are the property of their respective owners. Nothing contained on these pages is intended to extend any warranty or representation, expressed or implied, regarding the products described herein. Any such warranties or other terms and conditions of sale of products shall be in accordance with Ingersoll Rand's standard terms and conditions of sale for such products, which are available upon request.

Product improvement is a continuing goal at Ingersoll Rand. Designs and specifications are subject to change without notice or obligation.