



Multi-purpose wet & dry vacuum cleaner with power tool take-off and Tact automatic filter clean system for heavy duty dust extraction.

Tact system (Auto Filter Clean System)

The filter cleans itself with powerful blasts of air. This automatic process guarantees constantly high suction power. Further benefits: low maintenance costs, long filter service life.

On-board practical storage

Large on-board storage area for tool and accessory storage.

Technical Data and Equipment.

NT 35/1 Tact Te

- Tact Auto Filter Clean System
- Autostart feature (for power tools)
 Anti-static preparation

Technical data		
Order No.		1.184-859.0
EAN code		4039784722767
Air flow	l/s	74
Vacuum	mbar / kPa	254 / 25
Container capacity	I	35
Max. rated input power	W	1380
Standard nominal size		35
Sound level	dB(A)	69
Container material		Plastic
Quantity of motors		1
Frequency	Hz	50–60
Voltage	V	220-240
Weight	kg	12,5
Dimensions (L x W x H)	mm	520 × 380 × 580
Equipment		
Suction hose	m	2,5
Filter bag		Fleece
Wet and dry floor tool	mm	300
Crevice nozzle		1
Connector for electric tools		1
Auto shutdown when max. level is reached		•
Automatic on/off control for electric power tools		•
Anti-static preparation		1
Eco filter system		1
Included in delivery.		

KARCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter (paper)									
Flat pleated filter packed - dust class M	1	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/ Eco Te/Eco M.	
Plastic bend									
Plastic bend	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco N and NT Eco H).	N
	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	٢
	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	C
	5	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	
All-purpose nozzles (wet/dry)			1						
Wet and dry floor tool	6	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squee- gees (6.903-277.0). Only for NT vacuum cleaners.	-
All-purpose nozzle (wet/dry)	7	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacu- um cleaners.	
	8	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903- 065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	
All-purpose nozzle (wet and dry), DN 35	9	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903- 064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
All-purpose nozzle (wet/dry)	10	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squee- gees (6.905-877.0). Only for NT vacuum cleaners.	- [
	11	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squee- gees (6.905-877.0). Only for NT vacuum cleaners.	- [
Crevice nozzles									
Crevice tool	12	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	
	13	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	C
	14	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	C
	15	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	C
Crevice tool ID 35.	16	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	

 \blacksquare Included in delivery. $\hfill\square$ Available accessories.

KARCHER

Accessories for NT 35/1 Tact Te 1.184-859.0

17-18 1 17-18 2	0					22				24-26
		Order No.	Quantity	ID	Length	Width	Price	Description		
Suction tubes metal										
Suction tube	17	6.900-514.0	1 piece(s)	ID 35	0,5 m					(DN 35, 1x0.5 m), stan- strial NT vacuum clea-
	18	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated me dard for virtually all tw	vo-motor indust	(DN 40, 1x0.5 m), stan- rial vacuum cleaners. T vacuum cleaners with □

		Order No.	Quantity	ID	Length	Width	Price	Description	
Suction tubes metal									Ч
Suction tube	17	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), stan- dard for virtually all single-motor industrial NT vacuum clea- ners.	•
	18	6.900-275.0	1 piece(s)	ID 40	0,5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), stan- dard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	
Suction hoses complete (Clip-sys	stem)								
Suction hose	19	4.440-626.0	1 piece(s)	ID 35	2,5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	
	20	4.440-653.0	1 piece(s)	ID 35	2,5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	
Adapter for electric power tools, o	clip on	, el.							
Sleeve for tool C35EL	21	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	
Adapter for electric power tools, C 35, el.	22	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT- vacuums.	
Connecting sleeve for electric tool C 35, el.	23	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT- vacuums.	
Adapter for electric power tools, C 35, el.	24	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT- vacuums.	
Connecting sleeve for electric tool C 35, el.	25	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	
Connecting sleeve for electric tools C 35, el.	26	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacu- ums.	
Fleece filter bags (3 ply)									
	27	6.907-479.0	5 piece(s)						
Fleece filter bags, x 5	28	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	
Nozzle sets									
Nozzle kit	29	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	
Flat pleated filter (PES)							1		
Flat pleated filter (PES)	30	6.904-360.0	1 piece(s)					Flat pleated filter (PES) – BIA-C dust class M: rotproof polyes- ter fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	
Coarse filter for wet pickup									
Coarse dirt filter for wet pick up	31	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	
Membrane filter / fabric filter									
Membrane filter/fabric filter	32	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40° C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	

KARCHER

Accessories for NT 35/1 Tact Te 1.184-859.0

33 34-35		36		37	9	38-	39, 41	40 42	
44-45	3	50		51		52			
		Order No.	Quantity	ID	Length	Width	Price	Description	
HEPA filter for dust class H					1				
HEPA surface filter	33	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endar gering and carcinogenic dust.	ו- [
Paper filter (2 ply)					1				
Paper filter bags, 300 pcs Paper filter bags		6.904-224.0 6.904-259.0	300 piece(s) 5 piece(s)					BIA-C dust class M approved. Large-scale consumer pack. 5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Ec H).	
Plastic sacks for dust-free dispos	1		L	1	1			les contraction de la contract	1
Plastic sacks for dust-free disposal		6.596-886.0	10 piece(s)					PE plastic sack.	
Special filter bags, wet filter bags Special filter bag, wet filter bag		6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	
Bend stainless		1	1	1					
Bend, stainless steel ID 35	38	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	
Bend, stainless steel ID 40	39	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	
Bend metal Bend, DN 35, metal	40	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407- 112.0; C 35-DN 35, plastic, el.).	
Bend, DN 40, metal	41	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407- 111.0; C 40-DN 40, plastic, el.).	
All-purpose brushes		1		1	1				
All-purpose brush	42	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	
Rubber tool	40	4 762 057 0	1 picco/c)	40				Pubbar	l -
Rubber nozzle, ID 40 Rubber suction tools, nose 45°	43	4.763-057.0	1 piece(s)	40	1	L		Rubber.	0
Rubber suction tools, nose 45°	44	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
	45	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable	
Combi-nozzles (dry) Combination floor tool (dry)	46	6.906-511.0	1 piece(s)	ID 35		270 mm		for vacuuming machines. Only for NT vacuum cleaners. Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-	
Combi-nozzle (dry), DN 35	47	6.906-639.0	1 piece(s)	ID 35		262 mm		417.0 and DN 35 connection. Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	d C
Pipe dusting nozzles									_
Pipe dusting nozzle, ID 35	48	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	E
Pipe dusting nozzle	49	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	
Suction brushes Suction brush	50	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	
Turbo nozzle									
Turbo nozzle	51	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	
Turbo nozzle, DN 32		2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	

KARCHER





69–70



		Order No.	Quantity	ID	Length	Width	Price	Description	
Suction tubes stainless steel		I							
Suction tube, ID 40	53	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	
Suction tube	54	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	
Suction tube, DN 35	55	6.902-154.0	1 piece(s)	ID 35	0,5 m				
Suction tubes plastic									
Suction tube, DN 35	56	6.900-384.0	1 piece(s)	ID 35	0,5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	
Extension tube, metal									
Extension tube, metal, ID 35	57	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	
Repair kits			1	1					
Repair set, C 35	58	2.639-682.0	4 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	
Suction hoses (Clip-system)									
Suction hose	59	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	
	60	6.906-275.0	1 piece(s)	35	2,5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	ור
Suction hose (clip system), C 35, el.	61	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	ור
Suction hose	62	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	
	63	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	
	64	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	
Suction hose (clip system), C 40, 10 m, el.	65	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	
Suction hose (clip system), C 35	66	6.906-242.0	1 piece(s)	C- 35	10 m			Electrically conductive, 10 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	2
Suction hoses (without connector	s)								
Suction hose, DN 32 and 35 (wit- hout connectors)	67	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	
Suction hoses complete									
Suction hose complete, ID 35, 2,5m		4.440-339.0	1 piece(s)	ID 35	2,5 m			Temperature-resistant to 120 °C.	
Suction hose, complete	69	4.440-446.0	1 piece(s)	ID 27	3,5 m			Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	
	70	4.440-461.0	1 piece(s)	ID 27	7 m			Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	
Connecting sleeves									
Connecting sleeve, ID 27, el.	71	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electri- cally conducitve.	
Adapter, DN 32/35, with internal thread	72	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	r E

KARCHER

Accessories for NT 35/1 Tact Te 1.184-859.0

		75-				78-	80	
86 87		88		89		90		91 92
		Order No.	Quantity	ID	Length	Width	Price	Description
Adapter, DN 40 with internal thread	73		1 piece(s)	ID 40	Length	widdi	Flice	Electrically non-conductive adapter with screw thread at both
								ends. For connecting 2 DN 40 suction hoses without connectors.
Connecting sleeve, ID 61, with female thread	74	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides
Extension hoses (Clip-system)	75	0.000.007.0	4 minut (r)		0.5.1		1	
Extension hose, C 32, C 35 clip system	75		1 piece(s)	ID 32	2,5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.
Extension hose C 32-, C 35-Clip- system, el.	76	6.906-277.0	1 piece(s)	ID 32	2,5 m			for all C-32 and C-35 hoses, electrically conductive.
Y-adapter kit				10.05	1			
Y-adapter kit Connecting sleeve C-DN (clip on t		2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.
C-ID 35 adapter	78		1 piece(s)	ID 35	1			Connects C 35 hose for ID 35, electrically conductive.
C 40 adapter	79	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or
C-DN 40 adapter	80	5.407-111.0	1 piece(s)	ID 40				C-DN 40 suction hose. Suitable for NT vacuum cleaners. Connects C 40 hose for ID 40, electrically conductive.
Adapter for electric power tools, s								
Adapter for electric power tools, screwable, ID 35	81	2.639-129.0	1 piece(s)	ID 35				Plastic, adaptable from ID 26-36.
Power tool adapter, threaded, DN 35	82	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.
Adapter for electric power tools, screwable, ID 35	83	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.
Power tool adapter, threaded, DN	84	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal
35	85	6.902-095.0	1 piece(s)	ID 35				diameter: 32 mm.External diameter: 39 mm. 2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacu- um cleaners.
Adapter (tube -> nozzle) Adapter ID 35 - 40 (tube -> nozzle)	86	6.902-084.0	1 piece(s)	ID 35				From DN 35 to DN 40: Plastic adapter (electrically non-con-
Reducing sleeves			I					ductive). Suitable for NT vacuum cleaners.
Reducer	87	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.
Reducer (tube -> nozzle)		1	1	1	1			
Reducer	88	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with
Reducer from ID 35 to 32	89	6.902-072.0	1 piece(s)	ID 35				DN 40 connecting cone. Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combinati-
Set reducing / extension sleeves		1						on with industrial NT vacuum cleaners.
Set reducing / extension sleeves		2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.
Target group specific vacuum clea Universal kit for industrial and	aner a 91	1		ID 35				Accessory kit for industrial and commercial use.
commercial use Boiler cleaning kit	92	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves,
Building trade kit	93	2.637-352.0		ID 40				etc. Building and ancillary trade accessory kit.
			1	-	1		1	

KÄRCHER





		Order No.	Quantity	ID	Length	Width	Price	Description
Professional cleaning kit ID 40	94	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903- 051.0).
Electrician's/ plumber's kit ID 35	95	2.639-483.0		35				Individual parts: suction hose 0.45 m (6.906-213.0), connec- tion for electric tools (6.902-095.0), stepped sleeve (5.453- 037.0), cable clip 5-pack (5.332-440.0)
Car cleaning kit	96	2.862-166.0		ID 35				Contains: - Car cleaning nozzle ID 35 - Upholstery/crevice too ID 35 - Suction brush ID 35 - Connecting sleeve C 35/ ID 35
Horse grooming kit, ID 35	97	2.637-248.0		ID 40				Horse brush (6.903-046.0), curry comb/rubber curry comb (6.903-047.0 and 6.903-048.0), suction hose 4 m (4.440- 391.0).
NT vacuum cleaner kit, DN 40, el.	98	2.638-147.0		ID 40				Wet and dry vacuum cleaner kit, electrically conductive, DN 40.
Accessory set grinding ID 27, el.	99	2.862-167.0		ID 27				Contains: - Suction hose with bajonett - Connectors for elec- tric tools - Connection sleeve ID 27/35
UBS non-conductive media								
ABS non-conductive media	100	2.641-560.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases.
Car cleaning nozzles								
Car vacuuming tool DN 35	101	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

NT 35/1 Tact Te, 1.184-859.0, 2015-12-11



						_ .	
		Order No.	Length	Colour	Quantity	Price	Description
Miscellaneous							
Extension cable	1	6.647-022.0	20 m		1		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing
					piece(s)		pin plug, strain relief and anti-kink sleeve.



		Order No.	Quantity	ID	Length / width	Price	Description	
Other nozzles								
45° rubber suction nozzle	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	
Included in delivery Availation	ble acc	cessories						·

		Order No.			Price	Description	
Suction tubes							
	1	6.900-274.0				metal	
In aluale al in alalitanta.	h						