



FUEL SYSTEM SPECIALISTS

KP1200 Fuel Line Replacement Kit



Save Time & Money!

- CONVENIENT — Everything You Need In One Kit
- COST-EFFECTIVE — Save Up To 70% vs. OEM Fuel Lines
- EASY-TO-USE — No Special Insertion Tools Required; Reduces Labor Time
- Fits Most Trucks, Cars & SUVs

Made in USA

Universal Quick Connects
Fit G.M., Chrysler, & Ford
Thumb Release
Convenience
No Special Disconnect
Tools Required



KIT CONTENTS

PART #	DESCRIPTION	QUANTITY PER KIT	PART #	DESCRIPTION	QUANTITY PER KIT
K005	5/16 Nylon Line	15'	K075	3/8 GM Line Adapter	2
K010	3/8 Nylon Line	15'	K095	5/16 GM Female to Nylon Line Adapter	1
KP020	3/8 Straight Push quick connect	3	K100	3/8 GM Female to Nylon Line Adapter	1
KP030	3/8-5/16 Straight Push quick connect	2	KP125	3/8 90 deg. Push Quick Connect	1
KP040	5/16 Straight Push quick connect	3	KP130	3/8-5/16 90 deg. Push Quick Connect	1
K050	5/16 Nylon to Steel Comp. Fitting	1	KP135	5/16 90 deg Push Quick Connect	1
K057	5/16 Nylon to Nylon Push Union	2	K2980	5/16 seal clamps	1 pkg
K060	3/8 Nylon to Steel Comp. Fitting	1	K2982	3/8 seal clamps	1 pkg
K067	3/8 Nylon to Nylon Push Union	2	TC-1	Tube Cutter	1
K070	5/16 GM Line Adapter	2	CP01	Clamp Pliers	1

For sales or technical questions,
please contact: 800.390.3996 or 330.745.3300
E-mail: sales@fuelsender.com • www.fuelsender.com

S.U.R.&R. Auto Parts Inc. • 1969 S. Main St. • Akron, OH 44301

Whether you want to replace or repair, professional mechanics know the KP1200 is the RIGHT choice.

Following are several of the hundreds of examples that make the KP1200 the preferred option vs. OEM Fuel Lines

SAVE TIME

Save up to 75% off installation time —

Convenient push button thumb release makes connections quick and easy. Nylon lines are flexible. No more difficulty handling rigid steel lines.

Nylon to Nylon Repair – using Nylon to Nylon Push Union (K057) and 90° Push Quick Connect (KP135).

Average connection time = 5 minutes.



Nylon to Steel Repair – Using Nylon to Steel Compression Fitting (K050) and Straight Push Quick Connect (KP040).


Average connection time = 5 minutes

SAVE MONEY

Save Up to 70% vs. OEM Dealer Only Fuel Line Items

High Compression (H.C.) Line Replacement

Typical OEM Fuel Line Item	\$75
SUR&R KP1200 Fuel Line	\$20



General Motors (G.M.) Truck Line

Typical OEM Fuel Line Item	\$85-\$100
SUR&R KP1200 Fuel Line	\$25

EASY INSTALLATION

Typical installations can be done in less than 5 minutes in 3 easy steps.

- 1st - Cut the tubing to length
- 2nd - Using your hands (no tools required), attach the fitting to the nylon tube by pushing together

3rd - Crimp clamp

You're done. It's that simple!

MORE KP1200 ADVANTAGES

Designed for high pressure applications - All nylon lines hold up to 200 PSI

Can be used near heat source. Applications involving heat source within 10 inches require optional Heat Shield Tape (14000 Series) or Sleeve (14005 Series)

Warranty: SUR&R does not represent or warranty any product not used for its intended purpose or is installed improperly.

FUEL PARTS LISTING

	PART #	LINE SIZE	DESCRIPTION	REORDER QTY.	PCS. IN KP1500	PCS. IN KP1200
UNIVERSAL QUICK CONNECTS Connectors and adapters include corresponding clamps						
	KP020	3/8"	3/8" to 3/8" Straight Push-On	2/Pkg.	2	3
	KP030	5/16"	3/8" to 5/16" Straight Push-On	2/Pkg.	2	2
	KP035	3/8"	5/16" to 3/8" Straight Push-On	2/Pkg.	2	—
	KP040	5/16"	5/16" to 5/16" Straight Push-On	2/Pkg.	2	3
	KP045	5/16"	1/4" to 5/16" Straight Push-On	2/Pkg.	2	—
	KP120	3/8"	5/16" to 3/8" 90° Push-On	2/Pkg.	2	—
	KP125	3/8"	3/8" to 3/8" 90° Push-On	2/Pkg.	2	1
	KP130	5/16"	3/8" to 5/16" 90° Push-On	2/Pkg.	2	1
	KP135	5/16"	5/16" to 5/16" 90° Push-On	2/Pkg.	2	1
LINE ADAPTERS Connectors and adapters include corresponding clamps						
	K070	5/16"	5/16" GM	2/Pkg.	2	2
	K075	3/8"	3/8" GM	2/Pkg.	2	2
	K095	5/16"	5/16" GM Female To Nylon	1/Pkg.	2	1
	K100	3/8"	3/8" GM Female To Nylon	1/Pkg.	2	1
	K107	5/16"	14mm Foreign Female To Nylon	1/Pkg.	1	—
	K127	5/16"	14mm Foreign Angled	2/Pkg.	1	—
	K137	5/16"	14mm Foreign	2/Pkg.	1	—
	K140	5/16"	5/16" Rubber Hose To Nylon	2/Pkg.	2	—
	K145	3/8"	3/8" Rubber Hose To Nylon	2/Pkg.	2	—
	K150	5/16"	5/16" Quick Connect To Nylon	2/Pkg.	2	—
	K155	3/8"	3/8" Quick Connect To Nylon	2/Pkg.	2	—
	K153	3/8"	3/8" Quick Connect To Quick Connect	2/Pkg.	—	—

FUEL PARTS LISTING (Continued)

	PART #	LINE SIZE	DESCRIPTION	REORDER QTY.	PCS. IN KP1500	PCS. IN KP1200
LINE ADAPTERS (Continued) Connectors and adapters include corresponding clamps						
	K160	5/16"	1/4" to 5/16" Quick Connect To Nylon	2/Pkg.	1	—
	K165	3/8" & 5/16"	3/8" to 5/16" Nylon To Nylon Reducer	2/Pkg.	1	—
	K167	5/16" & 1/4"	5/16" to 1/4" Nylon To Nylon Reducer	2/Pkg.	—	—
	K170	5/16"	5/16" GM Male To Rubber Hose	2/Pkg.	1	—
	K175	3/8"	3/8" GM Male To Rubber Hose	2/Pkg.	1	—
	K270	5/16"	5/16" GM Short	2/Pkg.	2	—
	K275	3/8"	3/8" GM Short	2/Pkg.	2	—
	K305	5/16"	9/16"-5/16" Male Spring Lock To Nylon	1/Pkg.	—	—
	K315	5/16"	7/16"-5/16" Male Spring Lock To Nylon	1/Pkg.	—	—
	K310	5/16"	9/16"-5/16" Female Spring Lock To Nylon	1/Pkg.	—	—
	K320	5/16"	7/16"-5/16" Female Spring Lock To Nylon	1/Pkg.	—	—
	K325	5/16"	12mm-5/16" Banjo To Nylon	1/Pkg.	—	—
	K335	5/16"	14mm-5/16" Banjo To Nylon	1/Pkg.	—	—
	K330	5/16"	12mm-5/16" Banjo Bolt To Nylon	1/Pkg.	—	—
	38180	3/8"	3/8" 180° GM Fuel Filter	1/Pkg.	1	—
	3890	3/8"	3/8" 90° Elbow	2/Pkg.	2	—
	51690	5/16"	5/16" 90° Elbow	2/Pkg.	2	—
NYLON TUBING						
	K003	1/4"	1/4" Nylon Tubing	25' Roll	25'	—
	K00350	1/4"	1/4" Nylon Tubing	50' Roll	—	—
	K003100	1/4"	1/4" Nylon Tubing	100' Roll	—	—
	K005	5/16"	5/16" Nylon Tubing	25' Roll	25'	15'
	K00550	5/16"	5/16" Nylon Tubing	50' Roll	—	—
	K005100	5/16"	5/16" Nylon Tubing	100' Roll	—	—
	K010	3/8"	3/8" Nylon Tubing	25' Roll	25'	15'
	K01050	3/8"	3/8" Nylon Tubing	50' Roll	—	—
	K010100	3/8"	3/8" Nylon Tubing	100' Roll	—	—

FUEL PARTS LISTING (Continued)

	PART #	LINE SIZE	DESCRIPTION	REORDER QTY.	PCS. IN KP1500	PCS. IN KP1200	
UNIONS Connectors and adapters include corresponding clamps							
	K050	5/16"	5/16" Nylon To Steel Compression	2/Pkg.	2	1	
	K055	5/16"	5/16" Nylon To Nylon Compression	2/Pkg.	2	—	
	K060	3/8"	3/8" Nylon To Steel Compression	2/Pkg.	2	1	
	K065	3/8"	3/8" Nylon To Nylon Compression	2/Pkg.	—	—	
	K250	1/4"	1/4" Nylon To Steel Compression	2/Pkg.	2	—	
	K255	1/4"	1/4" Nylon To Nylon Compression	2/Pkg.	2	—	
	K057	5/16"	5/16" Nylon To Nylon Push-On	2/Pkg.	2	2	
	K067	3/8"	3/8" Nylon To Nylon Push-On	2/Pkg.	2	2	
CLAMPS & TUBING HOLDERS							
	K2978	1/4"	1/4" 360° Seal Clamp	10/Pkg.	—	—	
	K2980	5/16"	5/16" 360° Seal Clamp	10/Pkg.	33	15	
	K2982	3/8"	3/8" 360° Seal Clamp	10/Pkg.	28	12	
	K2984	1/2"	1/2" 360° Seal Clamp	10/Pkg.	—	—	
	K6806	9/16"	9/16" 360° Seal Clamp	10/Pkg.	—	—	
	K6807	11/16"	11/16" 360° Seal Clamp	10/Pkg.	—	—	
	K6808	23/32"	23/32" 360° Seal Clamp	10/Pkg.	—	—	
	K6810	3/4"	3/4" 360° Seal Clamp	10/Pkg.	—	—	
	K6811	7/8"	7/8" 360° Seal Clamp	10/Pkg.	—	—	
	K6812	15/16"	15/16" 360° Seal Clamp	10/Pkg.	—	—	
	TH38	3/8"	3/8" Nylon Tubing Holder	} With Self-Tapping Screws	20/Pkg.	20	—
	TH516	5/16"	5/16" Nylon Tubing Holder		20/Pkg.	20	—
TOOLS & ACCESSORIES							
	14005	1/4" 5/16" 3/8"	Heat Shield Sleeve (protects line up to 1200° F)	5' Roll	3'	—	
	CP01	1/4" 5/16" 3/8"	Clamp Pliers	1/Pkg.	1	1	
	TC-1	1/4" 5/16" 3/8"	Tubing & Hose Cutter	1/Pkg.	1	1	