

shop·vac[®]

HARDWARE MARKET PROGRAM





TABLE OF CONTENTS

HARDWARE SERIES

5950600	6 GALLON* WET/DRY UTILITY VAC	PG. 5
5950800	8 GALLON* WET/DRY UTILITY VAC	PG. 5
5950900	8 GALLON* STAINLESS STEEL WET/DRY UTILITY VAC	PG. 6
5951000	10 GALLON* WET/DRY UTILITY VAC	PG. 6

HARDWARE SERIES SVX2

5951200	12 GALLON* WET/DRY UTILITY VAC	PG. 8
5951400	14 GALLON* WET/DRY UTILITY VAC	PG. 8
8251600	16 GALLON* WET/DRY UTILITY VAC	PG. 9
8251800	18 GALLON* WET/DRY UTILITY VAC	PG. 9

BLOWER SERIES

9633400	12 GALLON* WET/DRY BLOWER UTILITY VAC	PG. 10
---------	---	--------

PUMP SERIES

9689400	14 GALLON* WET/DRY PUMP UTILITY VAC.	PG. 11
---------	--	--------

HEAVY-DUTY PORTABLE SERIES

5872800	5 GALLON* PORTABLE, HEAVY-DUTY WET/DRY VAC	PG. 12
---------	--	--------

VAC'N VAC® SERIES

9620100	14 GALLON* WET/DRY UTILITY VAC	PG. 12
---------	--	--------

WALL MOUNT® SERIES

3942300	5 GALLON* WET/DRY VAC	PG. 13
---------	---------------------------------	--------

QUIET SERIES

2030400	5 GALLON* WET/DRY UTILITY VAC	PG. 13
---------	---	--------

HANGON® SERIES

2030100	1.5 GALLON* PORTABLE WET/DRY VAC	PG. 14
2036000	2.5 GALLON* PORTABLE WET/DRY VAC	PG. 14

REPLACEMENT ACCESSORIES & FILTERS

ACCESSORIES	PG. 15
FILTERS.	PG. 15



*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner.

shop·vac®

HARDWARE SERIES



PERFORMANCE GAUGE: Registers the airflow through the vacuum. When airflow lessens, the suction power is reduced. When the needle goes down to yellow or red, it's time to check the filters or hose for a possible clog.



EXTRA LARGE HOSE HOLDER: Wrap your hose conveniently and easily around the motor housing when you're not using your vacuum. The hose holder keeps the hose in place for convenient storage.



REAR BLOWER PORT: Just remove the tethered cap and attach the vacuum hose to the rear blower port and you've got yourself a power blower. Blow away sawdust from stationary tools, or leaves & lawn debris from sidewalks or patios.



LOCK-ON HOSE®: For eliminating unwanted hose disconnections.



POWERFUL BY PASS MOTOR: For picking up the toughest messes. Wet or dry – indoors or out.



ACCESSORY STORAGE: Keeps your tools organized and always on-hand. Accessory storage varies per model.

5950600 6 GALLON* WET/DRY UTILITY VAC



3.0
PEAK HP

68
CFM
AIRFLOW

54⁺ in.
SEALED
PRESSURE
(@ 20 in. height)

Catalog # 5950600
 Model # SM12-300A
 Capacity 6 Gallon*
 UPC 0 26282 59506 5
 Carton dimensions L: 13-1/2 in. W: 13-1/2 in. H: 22-1/2 in.
 Cube24
 Shipping Weight 15 lbs.
 Air Watts 135†
 Electrical Rating 120V~ 60Hz 8.4 Amps
 Cord 6 ft.

Specifications are subject to change without notice.



- 3 year warranty
- Hose and tool holder

1-1/4 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(3) Extension Wands	10 in. Wet/dry nozzle	Crevice tool	Gulper nozzle	FILTERS: ProLong® cartridge filter and disposable filter bag

5950800 8 GALLON* WET/DRY UTILITY VAC



4.0
PEAK HP

73
CFM
AIRFLOW

56⁺ in.
SEALED
PRESSURE
(@ 20 in. height)

Catalog # 5950800
 Model # SM14-400
 Capacity 8 Gallon*
 UPC 0 26282 59508 9
 Carton dimensions L: 16-1/2 in. W: 16-1/2 in. H: 22-1/4 in.
 Cube35
 Shipping Weight 18 lbs.
 Air Watts 145†
 Electrical Rating 120V~ 60Hz 9.8 Amps
 Cord 6 ft.

Specifications are subject to change without notice.



- 3 year warranty
- Hose holder and dolly with tool storage

1-1/4 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(3) Extension Wands	10 in. Wet/dry nozzle	Crevice tool	Gulper nozzle	FILTERS: ProLong® cartridge filter and disposable filter bag

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡ASTM Tested with a 8 ft. long x 1 1/4 in. diameter Shop-Vac® hose.

5950900 8 GALLON* STAINLESS STEEL WET/DRY UTILITY VAC



5.0
PEAK HP

73[†]
CFM
AIRFLOW

53[†] in.
SEALED
PRESSURE
(vacuum of water)

Catalog # 5950900
 Model # SM14-500A
 Capacity 8 Gallon*
 UPC 0 26282 59509 6
 Carton dimensions L: 16-1/2 in. w: 16-1/2 in. H: 21-3/4 in.
 Cube 3.5
 Shipping Weight 21 lbs.
 Air Watts 145†
 Electrical Rating 120V~ 60Hz 11.3 Amps
 Cord 6 ft.

Specifications are subject to change without notice.



1-1/4 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(3) Extension Wands	10 in. Wet/dry nozzle	Crevice tool	Gulper nozzle	FILTERS: ProLong® cartridge filter and disposable filter bag

- 3 year warranty
- Hose holder and dolly with tool storage

5951000 10 GALLON* WET/DRY UTILITY VAC



5.0
PEAK HP

73[†]
CFM
AIRFLOW

53[†] in.
SEALED
PRESSURE
(vacuum of water)

Catalog # 5951000
 Model # SM14-500A
 Capacity 10 Gallon*
 UPC 0 26282 59510 2
 Carton dimensions L: 16-3/4 in. w: 16-3/4 in. H: 25-1/2 in.
 Cube 4.1
 Shipping Weight 20 lbs.
 Air Watts 145†
 Electrical Rating 120V~ 60Hz 11.3 Amps
 Cord 6 ft.

Specifications are subject to change without notice.



1-1/4 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(3) Extension Wands	10 in. Wet/dry nozzle	Crevice tool	Gulper nozzle	FILTERS: ProLong® cartridge filter and disposable filter bag

- 3 year warranty
- Hose holder and dolly with tool storage

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡ASTM Tested with a 8 ft. long x 1 1/4 in. diameter Shop-Vac® hose.

shop·vac®

HARDWARE SERIES SVX2



The SVX2 advanced motor technology creates a vacuum with more power and longer motor life. These vacuums have a 50% increase in air watts; when compared to a Shop-Vac® brand vacuum not containing the SVX2 motor technology.[§]



PERFORMANCE GAUGE: Registers the airflow through the vacuum. When airflow lessens, the suction power is reduced. When the needle goes down to yellow or red, it's time to check the filters or hose for a possible clog.



EXTRA LARGE HOSE HOLDER: Wrap your hose conveniently and easily around the motor housing when you're not using your vacuum. The hose holder keeps the hose in place for convenient storage.



REAR BLOWER PORT: Just remove the tethered cap and attach the vacuum hose to the rear blower port and you've got yourself a power blower. Blow away sawdust from stationary tools, or leaves & lawn debris from sidewalks or patios.



TANK DRAIN: Easy screw on/off tank drain cap lets you empty your heavy tank of water quickly and neatly without making another mess.



ACCESSORY STORAGE: Keeps your tools organized and always on-hand. Accessory storage varies per model.



LOCK-ON HOSE®: For eliminating unwanted hose disconnections.

MORE POWER[§]

LONGER MOTOR LIFE[§]

§ 5951200-Compared to Shop-Vac® 9651200 vacuum (model 16RT500A). 5951400-Compared to Shop-Vac® 9651400 vacuum (model 16RT600C). 8251600-Compared to Shop-Vac® 9551600 vacuum (model 16RHT650C). 8251800-Compared to Shop-Vac® 9551800 vacuum (model 16RHT650C).

5951200 12 GALLON* WET/DRY UTILITY VAC



5.5
PEAK HP

145
CFM
AIRFLOW

70
in.
SEALED
PRESSURE
(inside of motor)

Catalog # 5951200
 Model # SM16-SQ550
 Capacity 12 Gallon*
 UPC 0 26282 59512 6
 Carton dimensions L: 18-1/4 in. W: 18-1/4 in. H: 24-1/2 in.
 Cube 4.7
 Shipping Weight 24 lbs.
 Air Watts 375†
 Electrical Rating 120V~ 60Hz 11.6 Amps
 Cord 12 ft.

Specifications are subject to change without notice.



2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	FILTERS: ProLong® cartridge filter and disposable filter bag

- 4 year warranty
- Hose holder and dolly with tool storage

5951400 14 GALLON* WET/DRY UTILITY VAC



6.5
PEAK HP

170
CFM
AIRFLOW

75
in.
SEALED
PRESSURE
(inside of motor)

Catalog # 5951400
 Model # SM16-SQ650
 Capacity 14 Gallon
 UPC 0 26282 59514 0
 Carton dimensions L: 18-1/4 in. W: 18-1/4 in. H: 28-1/2 in.
 Cube 5.5
 Shipping Weight 33 lbs.
 Air Watts 415†
 Electrical Rating 120V~ 60Hz 12 Amps
 Cord 12 ft.

Specifications are subject to change without notice.



2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	FILTERS: ProLong® cartridge filter and disposable filter bag

- 4 year warranty
- Hose holder and tool storage basket

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡ASTM Tested with a 8 ft. long x 2½ in. diameter Shop-Vac® hose.

8251600 16 GALLON* WET/DRY UTILITY VAC



6.5
PEAK HP

170
CFM
AIRFLOW

75⁺ in.
SEALED
PRESSURE
(inches of water)

Catalog # 8251600
 Model # SC16-SQ650
 Capacity 16 Gallon*
 UPC 0 26282 82516 2
 Carton dimensions L: 19-1/2 in. w: 19-1/2 in. H: 23-3/4 in.
 Cube5.2
 Shipping Weight 30 lbs.
 Air Watts 415†
 Electrical Rating 120V~ 60Hz 12 Amps
 Cord 18 ft.

Specifications are subject to change without notice.



2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	Tool storage bag	FILTERS: ProLong® cartridge filter and disposable filter bag

- 4 year warranty
- Hose holder and tool storage bag

8251800 18 GALLON* WET/DRY UTILITY VAC



6.5
PEAK HP

170
CFM
AIRFLOW

75⁺ in.
SEALED
PRESSURE
(inches of water)

Catalog # 8251800
 Model # SC18-SQ650
 Capacity 18 Gallon*
 UPC 0 26282 82517 9
 Carton dimensions L: 19-5/8 in. w: 19-5/8 in. H: 25-1/2 in.
 Cube5.7
 Shipping Weight 31 lbs.
 Air Watts 415†
 Electrical Rating 120V~ 60Hz 12 Amps
 Cord 18 ft.

Specifications are subject to change without notice.



2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	Tool storage bag	FILTERS: ProLong® cartridge filter and disposable filter bag

- 4 year warranty
- Hose holder and tool storage bag

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡ASTM Tested with a 8 ft. long x 2 1/2 in. diameter Shop-Vac® hose.

BLOWER VAC

9633400 12 GALLON* WET/DRY BLOWER UTILITY VAC



6.5
PEAK HP

105
CFM
AIRFLOW

47^{in.}
SEALED
PRESSURE
(inches of water)

Catalog #	9633400
Model #	BLB650C
Capacity	12 Gallon*
UPC	0 26282 96334 5
Carton dimensions	L: 18-1/4 in. w: 18-1/4 in. H: 22-3/4 in.
Cube	4.4
Shipping Weight	26 lbs.
Air Watts	200†
Electrical Rating	120V~ 60Hz 12 Amps
Cord	18 ft.

Specifications are subject to change without notice.



- Use it as a wet/dry vac or as a hand held blower
- 4 year warranty
- Tool holder



2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on [®] hose	(2) Extension Wands	14 in. Floor nozzle with brush	8 in. Utility nozzle	Crevice tool	Blower nozzle	Concentrator nozzle	Ergonomic elbow grip	120° Elbow	FILTERS: ProLong [™] cartridge filter and disposable filter bag

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡ASTM Tested with a 8 ft. long x 2 1/2 in. diameter Shop-Vac[®] hose.

PUMP VAC

by **shop-vac®**

9689400 14 GALLON* WET/DRY PUMP UTILITY VAC



5.5
PEAK HP

125
CFM
AIRFLOW

45 in.
SEALED
PRESSURE
(inches of water)

Catalog #	9689400
Model #	16RTP550A
Capacity	14 Gallon*
UPC	0 26282 96894 4
Carton dimensions	L: 18-1/4 in. w: 18-1/4 in. H: 27 in.
Cube	5.2
Shipping Weight	27 lbs.
Air Watts	190†
Electrical Rating	120V~ 60Hz 11.5 Amps
Cord	18 ft.

Specifications are subject to change without notice.



- 4 year warranty
- Tool holder



Garden hose is not included. Do not leave vac unattended when it is plugged in and/or operating.

2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Floor nozzle with brush	Crevice tool	8 in. Utility nozzle	Ergonomic elbow grip	FILTERS: Prolong® cartridge filter, disposable filter bag and foam sleeve

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡ASTM Tested with a 8 ft. long x 2½ in. diameter Shop-Vac® hose.

shop·vac®

HEAVY-DUTY PORTABLE SERIES

5872800 5 GALLON* PORTABLE, HEAVY-DUTY WET/DRY VAC



6.0
PEAK HP

90
CFM
AIRFLOW

50 in.
SEALED
PRESSURE
(excludes 4" water)

Catalog # 5872800
 Model # H87S600C
 Capacity 5 Gallon*
 UPC 0 26282 58728 2
 Carton dimensions L: 17-1/4 in. w: 14 in. H: 17-3/4 in.
 Cube 2.5
 Shipping Weight 17 lbs.
 Air Watts 170†
 Electrical Rating 120V~ 60Hz 11.8 Amps
 Cord 20 ft.

Specifications are subject to change without notice.



- 5 year warranty
- Tool holder

1-1/2 in. ACCESSORIES & FILTERS

7 ft. Lock-on® hose	Claw utility nozzle	Crevice tool	Adapter	FILTER: Cartridge filter and disposable filter bag

Vac'n VAC®

By shop·vac®

9620100 14 GALLON* WET/DRY UTILITY VAC



5.0
PEAK HP

115
CFM
AIRFLOW

45 in.
SEALED
PRESSURE
(excludes 4" water)

Catalog # 9620100
 Model # VN92500A
 Capacity 14 Gallon*
 UPC 0 26282 96201 0
 Carton dimensions L: 19-5/8 in. w: 19-5/8 in. H: 33-1/2 in.
 Cube 7.5
 Shipping Weight 33 lbs.
 Air Watts 180†
 Electrical Rating 120V~ 60Hz 11.3 Amps
 Cord 18 ft.

Specifications are subject to change without notice.



- 3 year warranty
- Tool storage basket

2-1/2 in. ACCESSORIES & FILTERS

8 ft. Lock-on® hose	(2) Extension Wands	14 in. Wet/dry nozzle with brush	8 in. Utility nozzle	Crevice tool	4 ft. Hose	Gulper nozzle	Crevice tool	FILTER: ProLong® cartridge filter, disposable filter bag and small cartridge filter

1-1/4 in. ACCESSORIES & FILTERS

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. #5872800- ASTM Tested with a 7 ft. long x 1 1/2 in. diameter Shop-Vac® hose. 9620100- ASTM Tested with a 8 ft. long x 2 1/2 in. diameter Shop-Vac® hose.

shop·vac®

WALL MOUNT® SERIES

3942300 5 GALLON* WET/DRY VAC




4.0
PEAK HP

130
CFM
AIRFLOW

50 in.
SEALED
PRESSURE
(Inches of water)

Catalog # 3942300
Model # 5HM400
Capacity 5 Gallon*
UPC 0 26282 39423 1
Carton dimensions L: 12-7/8 in. w: 12-7/8 in. H: 31-1/4 in.
Cube 3.0
Shipping Weight 18 lbs.
Air Watts 240†
Electrical Rating 120V~ 60Hz 8.8 Amps
Cord 6 ft.

Specifications are subject to change without notice.



- 3 year warranty
- Wall mounting bracket with hose storage
- Tool storage bag with wall hook

1-1/4 in. ACCESSORIES & FILTERS

18 ft. Lock-on® hose	(3) Extension Wands	12 in. Deluxe nozzle	12 in. Brush insert	12 in. Squeegee insert	Crevice tool	Round brush	Gulper nozzle	Tool storage bag with wall hook	Wall mounting bracket	FILTERS: Cartridge filter, disposable filter bag and foam sleeve

shop·vac®

QUIET SERIES

2030400 5 GALLON* WET/DRY UTILITY VAC



2.0
PEAK HP

55
CFM
AIRFLOW

46 in.
SEALED
PRESSURE
(Inches of water)

Catalog # 2030400
Model # MAC12-200D
Capacity 5 Gallon*
UPC 0 26282 20304 5
Carton dimensions L: 13-3/4 in. w: 13-3/4 in. H: 17-1/2 in.
Cube 1.9
Shipping Weight 12 lbs.
Air Watts 90†
Electrical Rating 120V~ 60Hz 7.8 Amps
Cord 6 ft.

Specifications are subject to change without notice.



- 2 year warranty

1-1/4 in. ACCESSORIES & FILTERS

7 ft. Hose	Gulper nozzle	FILTER: Reusable dry filter and foam sleeve

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡3942300- ASTM Tested with a 18 ft. long x 1 1/4 in. diameter Shop-Vac® hose. 2030400- ASTM Tested with a 7 ft. long x 1 1/4 in. diameter Shop-Vac® hose.

shop·vac®

HANGON® SERIES BY SHOP-VAC®

2030100 1.5 GALLON* PORTABLE WET/DRY VAC



2.0
PEAK HP

59
CFM AIRFLOW

57⁺
in.
SEALED PRESSURE
(Better than hoses)

Catalog # 2030100
 Model # MACS-200D
 Capacity 1.5 Gallon*
 UPC 0 26282 20301 4
 Carton dimensions L: 11-3/4 in. w: 10-3/4 in. H: 11-3/4 in.
 Cube86
 Shipping Weight 8 lbs.
 Air Watts 120†
 Electrical Rating 120V~ 60Hz 7.8 Amps
 Cord6 ft.

Specifications are subject to change without notice.



- 2 year warranty
- Wall mounting bracket
- Wall mounted tool holder

1-1/4 in. ACCESSORIES & FILTERS

4 ft. Hose	Gulper nozzle	Crevice tool	Wall bracket	Wall mount tool holder	FILTERS: Reusable dry filter and foam sleeve

2036000 2.5 GALLON* PORTABLE WET/DRY VAC



2.5
PEAK HP

58
CFM AIRFLOW

60⁺
in.
SEALED PRESSURE
(Better than hoses)

Catalog # 2036000
 Model # MACM-250
 Capacity 2.5 Gallon*
 UPC 0 26282 20360 1
 Carton dimensions L: 12-1/2 in. w: 11-1/4 in. H: 13 in.
 Cube 1.06
 Shipping Weight 9 lbs.
 Air Watts 120†
 Electrical Rating 120V~ 60Hz 8 Amps
 Cord6 ft.

Specifications are subject to change without notice.



- 3 year warranty
- Wall mounting bracket
- Wall mounted tool holder

1-1/4 in. ACCESSORIES & FILTERS

4 ft. Hose	Gulper nozzle	Crevice tool	Wall bracket	Wall mount tool holder	FILTERS: Reusable dry filter and foam sleeve

*Working capacity of the tank may vary based on use. †Peak Horsepower ("PHP") is a measurement of the maximum horsepower output of a motor based on laboratory testing. The PHP measurement is outside the normal operating horsepower of a vacuum cleaner. ‡ASTM Tested with a 4 ft. long x 1 1/4 in. diameter Shop-Vac® hose.

REPLACEMENT ACCESSORIES & FILTERS

5950600, 5950800, 5950900, 5951000 ACCESSORIES & FILTERS

9051200	8 ft. Hose with extension end	Fits standard friction and locking inlets.
9061400	1-1/4 in. Extension Wands (3pc)	Provides longer reach for easier cleaning.
9062100	10 in. Wet/dry nozzle	For wide area bulk dry or wet pick up.
9061600	Crevice tool	For cleaning those hard-to-reach places.
9061900	Gulper Nozzle	Ideal for small clean ups and vehicle interiors.
9030400 / Type U	Cartridge Filter	Use to pick up small to large debris. Reusable.
9066100 / Type E	Disposable Filter Bag	For 5950600, 5950800, 5950900.
9066200 / Type F	Disposable Filter Bag	For 5951000.

5951200, 5951400, 8251600, 8251800, 9689400 ACCESSORIES & FILTERS

9050300	8 ft. Hose	Fits standard friction and locking inlets.
9068400	2-1/2 in. Extension Wands (2pc)	Provides longer reach for easier cleaning.
9067700	14 in. Wet/dry floor nozzle	For wide area bulk dry or wet pick up.
9067800	Crevice tool	For cleaning those hard-to-reach areas.
9067500	8 in. Utility Nozzle	For bulk dry pick up only.
9063300	Elbow Grip	For a comfortable hand grip while vacuuming. For 5951200, 5951400, 8251600, 8251800.
9030400 / Type U	Cartridge Filter	Use to pick up small to large debris. Reusable.
9066200 / Type F	Disposable Filter Bag	For 5951200 and 5951400.
9066300 / Type G	Disposable Filter Bag	For 8251600 and 8251800.

9633400 ACCESSORIES & FILTERS

9050300	8 ft. Hose	Fits standard friction and locking inlets.
9068400	2-1/2 in. Extension wands (2pc)	Provides longer reach for easier cleaning.
9067700	14 in. Wet/dry floor nozzle	For wide area bulk dry or wet pick up.
9067800	Crevice tool	For cleaning those hard-to-reach areas.
9067500	8 in. Utility nozzle	For bulk dry pick up only.
9067400	Blower nozzle	Concentrates airflow for extra cleaning power.
9068300	Concentrator nozzle	For increased airflow when using vac as a blower.
9063300	Elbow grip	For a comfortable hand grip while vacuuming.
9197000	Gutter cleaning kit	Quickly clear debris from hard-to-reach gutters and spouting.
9030400 / Type U	Cartridge filter	Use to pick up small to large debris. Reusable.
9066200 / Type F	Disposable filter bag	Keeps the tank clean.

5872800 ACCESSORIES & FILTERS

9062500	7 ft. Hose	Fits standard friction and locking inlets.
9196100	Claw utility nozzle	Fast pick up tool.
9061600	Crevice tool	For cleaning those hard-to-reach areas.
9198400	Adapter	Use to connect accessories to hose end.
9039800 / Type AA	Small cartridge filter	Use to pick up small to large debris. Reusable.
9066100 / Type E	Disposable filter bag	Keeps the tank clean.

9620100 ACCESSORIES & FILTERS

9050300	8 ft. x 2-1/2 in Hose	Fits standard friction and locking inlets.
9068400	2-1/2 in. Extension wands (2pc)	Provides longer reach for easier cleaning.
9067700	14 in. x 2-1/2 in. Wet/dry floor nozzle	For wide area bulk dry or wet pick up.
9067800	2-1/2 in. Crevice tool	For cleaning those hard-to-reach areas.
9067500	8 in. x 2-1/2 in. Utility nozzle	For bulk dry pick up only.
9051200	8 ft. x 1-1/4 in. Hose	Fits standard friction and locking inlets.
9061600	1-1/4 in. Crevice tool	For cleaning those hard-to-reach areas.
9061900	1-1/4 in. Gulper nozzle	Ideal for small clean ups and vehicle interiors.
9030400 / Type U	Large cartridge filter	Use to pick up small to large debris. Reusable.
9039800 / Type AA	Small cartridge filter	Use to pick up small to large debris. Reusable.
9066200 / Type F	Disposable filter bag	Keeps the tank clean.

3942300 ACCESSORIES & FILTERS

9032400	18 ft. Hose	Fits standard friction and locking inlets.
9061400	1-1/4 in. Extension wands (3pc)	Provides longer reach for easier cleaning.
9066500	12 in. Deluxe nozzle with brush and squeegee inserts	Use for all purpose wet and dry cleaning.
9061600	Crevice tool	For cleaning those hard-to-reach areas.
9061500	Round brush	Use on smooth and irregular surfaces.
9061900	Gulper nozzle	Ideal for small clean ups and vehicle interiors.
9039800 / Type AA	Small cartridge filter	Use to pick up small to large debris. Reusable.
9052600 / Type CC	Foam sleeve	Use for wet pick up.
9193200 / Type O	Disposable filter bag	Keeps the tank clean.

2030400 ACCESSORIES & FILTERS

9051200	8 ft. Hose	Fits standard friction and locking inlets.
9061900	Gulper nozzle	Ideal for small clean ups and vehicle interiors.
9058500 / Type R	Foam sleeve	Use for wet pick up and use in conjunction with the reusable dry filter for dry pick up.
9010700 / Type S	Reusable dry filter	Use in conjunction with the foam sleeve to pick up larger debris and dry materials. Reusable.

2030100, 2036000 ACCESSORIES & FILTERS

9056400	4 ft. Hose	Fits standard friction and locking inlets.
9061600	Crevice tool	For cleaning those hard-to-reach areas.
9061900	Gulper nozzle	Ideal for small clean ups and vehicle interiors.
9058500 / Type R	Foam sleeve	Use for wet pick up and use in conjunction with the reusable dry filter for dry pick up.
9010700 / Type S	Reusable dry filter	Use in conjunction with the foam sleeve to pick up larger debris and dry materials. Reusable.

Shop-Vac Corporation

2323 Reach Road, Williamsport, PA 17701 | Phone: 570-326-3557 | Fax: 570-326-7185 | www.shopvac.com

©2015 Shop-Vac Corporation. All rights reserved.

Shop-Vac®, Lock-On®, Vac'n Vac®, Hang-On®, Hang-Up® and ProLong® are registered trademarks of the Shop-Vac Corporation.

SVA0001096