



2018 Products



Belt/Disc Sander



4 x 36 Inch belt
(102 x 914 mm)



6 Inch disc
(152 mm)



Belt bed adjusts 0-90° /
Table adjusts 0-45°



Horizontal / vertical
operation

- 0 to 45° tilting aluminum work table can be angled for miter polishing



- Belt sander tilts to work both horizontally and vertically, grinding and polishing flat and cambered surfaces
- Strong cast iron base, steel belt bed & aluminum disc backing plate
- Quick release system for easy belt change
- Belt is easily adjusted with tracking knob
- L-shaped steel work stop
- 2-1/4" I.D. dust port
- Safety on/off switch with removable key
- 6-1/4" x 8-7/8" Aluminum work table
- No load speed: 3450 RPM
- 120 V ~ 60 Hz, 4 Amp motor
- ETL certified
- Includes:
 - Miter gauge
 - 6" Peel & stick sanding disc
 - 4" x 36" Sanding belt
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BD7004 Belt / Disc Sander	857647005086	Gross: 40 lb. Net: 37.5 lb.	22" x 10" x 12" 560 x 260 x 300 mm	1.54 cu. ft	560 pc / 20 ft 1120 pc / 40 ft 1408 pc / 40 ft High Cube



Variable Speed Scroll Saw

 16" Throat depth (406 mm)


 Cuts wood up to 2" thick (50 mm)

 Adjustable LED work light

 Table tilts 0-45°

 Dust blower keeps table clean

- Cutting speed is easily set with precision dial on front of housing
- Flex-neck LED work light
- Saw dust collection port for standard 1-1/4" hose (31.75 mm)
- Strong cast iron base
- Cast aluminum work table with locking knob and bevel scale
- Low noise, low vibration
- Patented blade holder accepts standard 5" (127 mm) pin-end or plain-end (pinless) scroll saw blades
- Side storage compartment for spare blades and wrenches
- Top-mounted tensioner knob
- Easy-access motor brushes
- Safety on/off switch with removable security key
- Stroke: 5/8" (15 mm)
- 1.2 Amp motor
- 120 V ~ 60 Hz
- Variable speed: 400-1600 RPM
- CSA certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BT8007 Variable Speed Scroll Saw	857647005093	Gross: 26.5 lb. Net: 24 lb.	26" x 13" x 14" 670 x 330 x 365 mm	2.85 cu. ft	354 pc / 20 ft 714 pc / 40 ft 854 pc / 40 ft High Cube



9" | Band Saw



-  Powerful 2.5 Amp induction motor
-  Cast aluminum work table
-  Maximum cut thickness: 3.5 inch (89 mm)
-  Quick and easy blade change

- Designed for wood cutting
- Flexible LED work light
- Removable safety on/off switch
- Induction motor
- Cast aluminum frame, plastic access door
- Includes rip fence and miter gauge
- Table size: 11-7/8" square (300 mm)
 - Table tilts 0° - 45°
 - Blade length: 59-1/2" (1511 mm)
- 9" Throat (229 mm)
- No load speed: 2625 ft/min (800 m/min)
- 120 V ~ 60 Hz
- 230 Watt motor
- CSA certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BS5105 9 Inch Band Saw	857647005055	Gross: 35 lb. Net: 30 lb.	16.5" x 11" x 31" 415 x 285 x 790 mm	3.3 cu. ft	299 pc / 20 ft 643 pc / 40 ft 688 pc / 40 ft High Cube



10" | Compound Miter Saw



-  Bevels at 0-45° for compound angles
-  Precision cuts with laser alignment system
-  Cuts wood, plastic and aluminum (with correct blade)
-  Powerful 15 Amp motor
-  Maximum cut capacity: 5.25" x 3" (135 x 75 mm)

- Comfortable "D" handle also helps with transporting
- Handy measurement scale embossed in rear fence
- 120 V ~ 60 Hz
- 4400 RPM
- ETL certified
- Includes:
 - 10" Saw blade with carbide-tipped teeth
 - Hold down clamp
 - Table side extension bars
- Color packaging with dual languages (English & French)

Works great with the MS3102 Miter Saw Stand!



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
MS3003 10 Inch Compound Miter Saw	857647005062	Gross: 29 lb. Net: 24 lb.	22" x 16.5" x 16" 560 x 420 x 410 mm	3.41 cu. ft	270 pc / 20 ft 560 pc / 40 ft 672 pc / 40 ft High Cube



10" | Sliding Miter Saw



-  Sliding blade for extended reach
-  Bevels at 0-45° for compound angles
-  Precision cuts with laser alignment system
-  Cuts wood, plastic and aluminum (with correct blade)
-  Powerful 15 Amp motor
-  Maximum cut capacities:
 - Cross cut at 90°
= 3" x 12" (80 x 300 mm)
 - Miter cut at 45°
= 3" x 8" (80 x 200 mm)
 - Miter & bevel compound cut at 45° = 1.5" x 8"
(40 x 200 mm)
- Comfortable "D" handle also helps with transporting
- Handy measurement scale embossed in rear fence
 - 120 V ~ 60 Hz
 - No-load speed: 4400 RPM
 - ETL certified
- Includes:
 - 10" Saw blade with carbide-tipped teeth
 - Hold down clamp
 - Table side extension bars

- Color packaging with dual languages (English & French)

Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
MS3005 10 Inch Compound Sliding Miter Saw	857647005079	Gross: 34 lb. Net: 29 lb.	30" x 19" x 16" 760 x 490 x 410 mm	5.39 cu. ft	170 pc / 20 ft 360 pc / 40 ft 432 pc / 40 ft High Cube



10" | Table Saw

-  Cast aluminum work table
-  Powerful 13A motor
-  5700 RPM
-  Tilting range: 0° to 45° left
-  Maximum cutting height at 90°: 2-7/8 in. (73 mm)
-  Sturdy steel stand included

- Work table size: 26" x 17.5"
- Maximum cutting height at 45°: 2-5/8 in. (65 mm)
- Table height on stand: 35-3/8" (900 mm)
- 120 V ~ 60 Hz
- ETL certified
- Includes:
 - 10" 24 tooth TCT saw blade
 - Rip fence
 - Miter gauge
 - Push stick
 - Metal stand
 - Blade guard
 - Riving knife
 - Anti-kickback pawls
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
TS4001 10 Inch Table Saw	857647005048	Gross: 51 lb. Net: 44 lb.	27.5" x 22" x 14.5" 700 x 560 x 370 mm	5.12 cu. ft	192 pc / 20 ft 402 pc / 40 ft 470 pc / 40 ft High Cube



10" | Portable Jobsite Table Saw




24 inch rip capacity



15 amp motor



Max. cutting height: 3-5/16"



- Powerful 15 amp motor
- Tilting range: 0° to 45° left
- Max. cutting height at 90°: 3.33 in. (84.6 mm) at 45°: 2.5 in. (63.5 mm)
- No load speed: 4,500 rpm
- Arbor size: 5/8"
- Bevel angle range: 0° to 45°
- Dado capacity: 1/2"
- Ripping capacity left: 9-1/4"
- Ripping capacity right: 24"

- Aluminum work table
- Main table dimensions: 24" w x 20.8" D
- Right extension table dimensions: 4.3" W x 20.8" D
- Table height: 12.4"

- Includes:
 - 10" 24 tooth carbide-tipped saw blade
 - Rip fence
 - Mitre gauge
 - Push stick
 - Blade change wrenches (2)
 - Riving knife
 - Anti-kickback pawls
- Bi-lingual colour packaging

Model #	UPC Code	Gross Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
TS4003 10 inch Portable Table Saw		57.3 lb. (26 kg)	29.5 in. x 25.4 in. x 14.4 in. (750 mm x 644 mm x 365 mm)	6.24 cu.ft.	162 pc./20 ft., 324 pc./40 ft., 378 pc./40 ft. High Cube

General International Power Products Ltd.

Tel: (604) 420-2299 • Fax: (888) 445-2069 • www.gipowerproducts.com



10" | Portable Jobsite Table Saw

with stand



30 inch rip capacity



15 amp motor



Max. cutting height: 3-5/16"

- Motor: 120 V ~ 60 Hz, 15 A
- No-load speed: 4,500 rpm
- Includes:
 - Rip fence
 - Mitre gauge
 - Push stick
 - Standard and dado table inserts
 - Blade change wrenches (2)
 - 10" 40-Tooth Carbide Saw Blade
- Arbor: 5/8"
- Bevel angle range: 0° to 45°
- Dado capacity: 1/2" (12.7 mm)
- Depth of cut
 - at 90°: 3-1/3" (84.6 mm)
 - at 45°: 2-1/2" (63.5 mm)
 - Rip capacity (left): 12" (305 mm)
- Rip capacity (right): 30" (610 mm)
- Main (steel) table dim: 24" W x 20.8" D (609.6 x 530.8 mm)

- Right (steel) extension table dim: 5.9" W x 20.8" D (109.2 x 528.3 mm)
- Table height 32.9" (836 mm)
- Bi-lingual colour packaging



Model #	UPC Code	Gross Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
TS4004 10 inch Portable Table Saw with Stand		77.2 lb. (35 kg)	37.2 in. x 25.4 in. x 15.2 in. (945 mm x 644 mm x 385 mm)	8.31 cu.ft.	90 pc./20 ft., 186 pc./40 ft., 252 pc./40 ft. High Cube

General International Power Products Ltd.

Tel: (604) 420-2299 • Fax: (888) 445-2069 • www.gipowerproducts.com



Miter Saw Stand



Legs click and lock into operating position



Wheeled for convenient transport



Height-adjustable supports with rollers and material stops



Lever actuated quick-release saw mounts

- Length: 47 - 79 in. x 25 in. wide x 35 in. high (1185 - 2000 x 632 x 900 mm)
- Maximum load capacity: 330 lb. (150 kg)

- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
MS3102 Miter Saw Stand	857647005253	Gross: 39 lb. Net: 36 lb.	52" x 11.5" x 8.5" 1325 x 290 x 218 mm	2.96 cu. ft	328 pc / 20 ft 656 pc / 40 ft 800 pc / 40 ft High Cube

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



6" | Bench Grinder



Twin LED work lights
on adjustable flex shafts



Powerful, maintenance-free
induction motor



Large eye shields



- Mountable base
- Wheel size: 6 in. diam. x 3/4" thick
x 1/2" bore (150 x 20 x 12.7 mm)
- 250 W motor
- No load speed: 3450 RPM
- 120 V ~ 60 Hz
- CSA certified
- Color packaging with
dual languages
(English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BG6001 6 Inch Bench Grinder	857647005239	Gross: 21 lb. Net: 19 lb.	15" x 8" x 10.5" 385 x 210 x 270 mm	.077 cu. ft	1300 pc / 20 ft

General International Power Products LLC
Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



8" | Bench Grinder



-  Twin LED work lights on adjustable flex shafts
-  Powerful, maintenance-free 3.8 Amp induction motor
-  Large eye shields

- Mountable cast iron base
- Wheel size: 8 in. diam. x 1" thick x 1-1/4" bore (200 x 25 x 32 mm)
- 3.8 Amp motor
- No load speed: 3550 RPM
- 120 V ~ 60 Hz
- TUV certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BG8002 8 Inch Bench Grinder	857647005505	Gross: 31 lb. (14 kg.) Net: 28.5 lb. (13 kg.)	15.5" x 10.75" x 12.25" 395 x 275 x 310 mm	.077 cu. ft	847 pc / 20 ft



Metal Cut-Off Saw



-  14" Metal cutting disc (35.5 cm)
-  Cuts up to 4" diameter (101.5 mm) / 4.5" square (115 mm)
-  Vise adjusts 0-45°
-  Hold down lock button and carry handle

- Cuts conduit, ABS, copper pipe, tile and even concrete (with correct blade)
- Comfortable "D" handle
- Strong steel base
- Arbor lock makes blade changes easy
- Vise clamp assembly with quick release
- Fence adjustable 0 to 45°
- Safety interlock trigger
- 120 V ~ 60 Hz, 15 Amp
- No-load speed: 3500 RPM
- CSA certified
- Color packaging with dual languages (English & French)

Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BT8005 Metal Cut-Off Saw	857647005123	Gross: 34 lb. Net: 31 lb.	22" x 12.5" x 17" 560 x 320 x 430 mm	2.72 cu. ft	376 pc / 20 ft 752 pc / 40 ft 880 pc / 40 ft High Cube



4" | Metal Cutting Band Saw



Cuts steel up to 4 inch diameter (102 mm) / 4 inch square (102 mm)



Pivoting head rotates up to 45°



Portable



Heavy duty steel base

- Compact for bench top use
- Light and strong cast aluminum saw head frame
- Cast iron vise opens to 4-1/8" (105 mm)
- Pivoting head with scale for miter cuts to 45°
- 2 Speeds help to cut ferrous and non-ferrous metals
- Blade speeds: 197 & 262 ft./min. (60 & 80 m/min)
- Adjustable blade guide
- Designed for dry cutting
- Includes 52-1/2" x 1/2" x .025" / 8-12 tpi variable blade (1335 x 12.7 x 0.64 mm / 2.12 - 3.18 mm pitch)
- 120 V ~ 60 Hz
- 600 Watt motor
- ETL certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BS5202 4 Inch Metal Cutting Band Saw	857647005031	Gross: 37.5 lb. Net: 33 lb.	29" x 15.5" x 20" 730 x 390 x 502 mm	5.05 cu. ft	188 pc / 20 ft 376 pc / 40 ft 470 pc / 40 ft High Cube



4 1/2" | Metal Cutting Band Saw



Cuts steel up to 4 inch diameter (102 mm) / 6 inch square (152 mm)



Simple horizontal / vertical change



3 Speeds



Heavy duty steel stand

- Strong cast iron saw head frame
- Stand features a work shelf and wheels for easy transport
- Cast iron vise opens to 6" (152 mm)
- 3 Speeds for cutting ferrous and non-ferrous metals
- Blade speeds:
80 / 120 / 180 ft./min.
(24 / 36.5 / 55 m/min)
- Adjustable blade guide
- Includes 64" blade (1638 mm)
- 120 V ~ 60 Hz
- 550 Watt motor
- ETL certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BS5205 4-1/2 Inch Metal Cutting Band Saw	857647005208	Gross: 128 lb. Net: 121 lb.	39.5" x 12.5" x 15" 1005 x 320 x 380 mm	4.32 cu. ft	195 pc / 20 ft

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



8" | Drill Press



5 Speeds



Patented cross-pattern precision laser alignment and centering guide



8 Inch swing



1/2 Inch chuck (13 mm)

- Depth stop with scale
- Transparent chuck safety guard
- Soft-grip feed handles
- Heavy cast iron and steel construction
- Easy-access safety switch with removable security key
- Table tilt: 0 - 45°
- Drilling capacity: 1/2" (13 mm)
- Taper: JT33
- Spindle travel: 2" (50 mm)
- 5 Speeds: 620 - 3100 rpm
- 120 V ~ 60 Hz
- 250 Watt motor
- CSA certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
DP2001 8 Inch Drill Press	857647005178	Gross: 38 lb. Net: 33 lb.	18" x 13.5" x 9" 456 x 340 x 230 mm	1.26 cu. ft	820 pc / 20 ft

General International Power Products LLC
Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



10" | Drill Press



5 Speeds



Patented cross-pattern precision laser alignment and centering guide



10 Inch swing



1/2 Inch chuck (13 mm)

- Unique built-in LED work light illuminates the work table
- Depth stop with scale
- Transparent flip-up chuck safety guard
- Large soft-grip ergonomic feed handles
- Heavy cast iron and steel construction
- Easy-access safety switch with removable security key
- Table tilt: 0 - 45°
- Drilling capacity: 1/2" (13 mm)
- Taper: JT33
- Spindle travel: 2-3/8" (60 mm)
- 5 Speeds: 620 - 3100 rpm
- 120 V ~ 60 Hz
- 375 Watt motor
- CSA certified
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
DP2002 10 Inch Drill Press	857647005185	Gross: 68 lb. Net: 62 lb.	21.5" x 15" x 9.5" 550 x 380 x 245 mm	1.81 cu. ft	540 pc / 20 ft

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



13" | Drill Press



16 Speeds



Patented cross-pattern precision laser alignment and centering guide



13 Inch swing



5/8 Inch chuck (16 mm)

- Unique built-in LED work light illuminates the work table
- Depth stop with scale
- Transparent flip-up chuck safety guard
- Large soft-grip ergonomic feed handles
- Heavy cast iron and steel construction
- Easy-access safety switch with removable security key
- Table tilt: 0 - 45°
- Drilling capacity: 5/8" (16 mm)
- Taper: MT2
- Spindle travel: 3-1/8" (80 mm)
- 16 Speeds: 260 - 4220 rpm
- Overall height: 64" (1625 mm)
- 120 V ~ 60 Hz
- 550 Watt motor
- CSA certified
- Packaging with color labels and dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
DP2003 13 Inch Drill Press	857647005246	Gross: 123 lb. Net: 112 lb.	30" x 19.5" x 16" 1400 x 494 x 245 mm	5.99 cu. ft	160 pc / 20 ft



15" | Drill Press



16 Speeds



Patented cross-pattern precision laser alignment and centering guide



15 Inch swing



5/8 Inch chuck (16 mm)

- Unique built-in LED work light illuminates the work table
- Depth stop with scale
- Transparent flip-up chuck safety guard
- Large soft-grip ergonomic feed handles
- Heavy cast iron and steel construction
- Easy-access safety switch with removable security key
- Table tilt: 0 - 45°
- Drilling capacity: 25/32" (20 mm)
- Taper: MT2
- Spindle travel: 3-1/8" (80 mm)
- 16 Speeds: 240 - 3200 rpm
- Overall height: 64" (1625 mm)
- 120 V ~ 60 Hz
- 550 Watt motor
- CSA certified
- Packaging with color labels and dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
DP2006 15 Inch Drill Press	857647005192	Gross: 148 lb. Net: 137 lb.	30" x 19.5" x 16" 1400 x 494 x 245 mm	5.99 cu. ft	160 pc / 20 ft

General International Power Products LLC

Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



Portable Dust Collector System



Keep your shop and machinery clean



Powerful 3/4 HP motor



17 gallon capacity (65 liter) for larger shops



6.5 ft. (2000 mm), 4" (100 mm) diameter hose



Transparent replaceable collection bag



Heavy gauge steel base with wheels

- Heavy duty steel mobile base and frame with PVC wheels and hose
- 120 V ~ 60 Hz
- Speed 3450 RPM
- Capacity: 441cfm (750 m3/h)
- CSA certified
- Includes:
 - 6.5 ft. Flexible dust extraction hose
 - Plastic lower collection bag
 - Cloth upper collection bag
- Color packaging with dual languages (English & French)



Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BT8010 Portable Dust Collector System	857647005116	Gross: 62 lb. Net: 55 lb.	35" x 21" x 17" 895 x 540 x 440 mm	7.51 cu. ft	125 pc / 20 ft 250 pc / 40 ft 300 pc / 40 ft High Cube

General International Power Products LLC
Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com



2 in 1 Portable Dust Collector



-  Compact design with powerful 1-1/2 HP motor
-  13 Gallon capacity (50 liter)
-  6.5 ft. Hose (2000 mm) with multiple adapters
-  .5 Micron filtration
-  Bracket included for easy wall mounting
-  Disposable collection bags



- Includes:
 - Dust extractor
 - Cartridge filter
 - 6.5 ft. Flexible hose
 - Wall-mount bracket
 - 5 Filter bags
 - 4 Hose adapters: 1-5/16", 1-9/16", 1-3/4" & 2-11/16" (34, 40, 45 & 68 mm)
- Metal dust collection drum
- Large carry handle
- 120 V ~ 60 Hz
- No load speed: 20,000 rpm
- Air flow rate: 108 cfm
- Noise level: 85 dB (A)
- CSA certified
- Color packaging with dual languages (English & French)

Model #	UPC Code	Weight	Package Dimensions Width x Depth x Height	Cube	Container Qty.
BT8008 2 in 1 Portable Dust Collector	857647005109	Gross: 26.5 lb. Net: 23 lb.	16" x 16" x 27.5" 410 x 410 x 700 mm	4.15 cu. ft	195 pc / 20 ft 400 pc / 40 ft 400 pc / 40 ft High Cube



**WOODWORKING, METALWORKING,
AIR COMPRESSORS & MORE**



General International Power Products LLC
Toll-free (844) 877-5234 • (419) 877-5234 • www.gipowerproducts.com